

NAME

pmx – This script processes pmx files and then deletes intermediate files

SYNOPSIS

[texlua] **pmx**[.lua] { *option* | *jobname* [.pmx] } ...

The default effect is to process each file using

pmxab(1) (pre-processing pass)

etex(1) (first pass)

musixflx(1) (second pass)

etex(1) (third pass)

dvips(1) (dvi to Postscript)

ps2pdf(1) (Postscript to Portable Document Format)

followed by removal of intermediate files.

OPTIONS

-v output program name and version number, and quit

-h output usage summary and quit

-l changes the TeX processor to **latex**(1) or **pdflatex**(1)

-p changes the TeX processor to **pdfetex**(1) or **pdflatex**(1) (and doesn't run **dvips**(1) and **ps2pdf**(1) or **dvipdfm**(1))

-d changes the dvi processor to **dvipdfm**(1)

-s stops processing at the dvi file

-t stops processing at the tex (and midi) files

-f default processing

Options affect processing of all succeeding PMX files unless changed by another option.

SEE ALSO

pmxab(1) **scor2prt**(1) **etex**(1), **latex**(1), **pdfetex**(1), **pdflatex**(1), **musixflx**(1), **dvipdfm**(1), **dvips**(1), **ps2pdf**(1).

pmx260.pdf

pmxccn.pdf

AUTHOR

This manual page was written by Bob Tennent <rdt@cs.queensu.ca>.