

NAME

mtx – This script processes mtx files then deletes intermediate files

SYNOPSIS

[texlua] **mtx[.lua]** { *option* | *jobname* [.mtx] } ...

The default effect is to process each file using

prepmx (pre-pre-processing pass)
pmxab(1) (pre-processing pass)
etex(1) (first pass)
musixflx(1) (second pass)
etex(1) (third pass)
dvips(1) (dvi to Postscript)
ps2pdf(1) (Postscript to Portable Document Format)

followed by removal of intermediate files.

OPTIONS

-v output program name and version number, and quit
-h output usage summary and quit
-l changes the TeX processor to **latex(1)** or **pdflatex(1)**
-p changes the TeX processor to **pdfetex(1)** or **pdflatex(1)** (and doesn't run **dvips(1)** and **ps2pdf(1)** or **dvipdfm(1)**)
-d changes the dvi processor to **dvipdfm(1)**
-s stops processing at the dvi file
-t stops processing at the tex (and midi) files
-m stops processing at the pmx file
-f default processing

Options affect processing of all succeeding mtx files unless changed by another option.

SEE ALSO

pmxab(1) **scor2prt(1)** **etex(1)**, **latex(1)**, **pdfetex(1)**, **pdflatex(1)**, **musixflx(1)**, **dvipdfm(1)**, **dvips(1)**, **ps2pdf(1)**.
 mtx260.pdf

AUTHOR

This manual page was written by Bob Tennent <rdt@cs.queensu.ca>.