

The `ifvtex` package

Heiko Oberdiek
<heiko.oberdiek at gmail.com>

2010/03/01 v1.5

Abstract

This package looks for $\text{V}\text{T}\text{E}\text{X}$, implements and sets the switches `\ifvtex`, `\ifvtex<mode>`, `\ifvtexgex`. It works with plain or $\text{L}\text{A}\text{T}\text{E}\text{X}$ formats.

Contents

1 Usage	1
2 Implementation	2
2.1 Reload check and package identification	2
2.2 Catcodes	3
2.3 Check for previously defined <code>\ifvtex</code>	4
2.4 Provide <code>\newif</code>	4
2.5 <code>\ifvtex</code>	5
2.6 Mode and GeX switches	5
2.7 Protocol entry	6
3 Test	6
3.1 Catcode checks for loading	6
4 Installation	8
4.1 Download	8
4.2 Bundle installation	8
4.3 Package installation	8
4.4 Refresh file name databases	9
4.5 Some details for the interested	9
5 History	9
[2001/09/26 v1.0]	9
[2006/02/20 v1.1]	9
[2007/01/10 v1.2]	10
[2007/09/09 v1.3]	10
[2008/11/04 v1.4]	10
[2010/03/01 v1.5]	10
6 Index	10

1 Usage

The package `ifvtex` can be used with both plain TEX and $\text{L}\text{A}\text{T}\text{E}\text{X}$:

plain TEX : `\input ifvtex.sty`

$\text{L}\text{A}\text{T}\text{E}\text{X } 2_{\epsilon}$: `\usepackage{ifvtex}`

The package implements switches for $\text{V}\text{T}_{\text{E}}\text{X}$ and its different modes and interprets \VTeXversion , \OpMode , and \gexmode .

\ifvtex

The package provides the switch \ifvtex :

```
\ifvtex
... do things, if  $\text{V}\text{T}_{\text{E}}\text{X}$  is running ...
\else
... other  $\text{T}_{\text{E}}\text{X}$  compiler ...
\fi
```

Users of the package `ifthen` can use the switch as boolean:

```
\boolean{ifvtex}
```

\ifvtexdvi
 \ifvtexpdf
 \ifvtexps
 \ifvtexhtml

$\text{V}\text{T}_{\text{E}}\text{X}$ knows different output modes that can be asked by these switches.

\ifvtexgex

This switch shows, whether GeX is available.

2 Implementation

2.1 Reload check and package identification

```
1 (*package)
```

Reload check, especially if the package is not used with $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$.

```
2 \begingroup\catcode61\catcode48\catcode32=10\relax%
3 \catcode13=5 % ^~M
4 \endlinechar=13 %
5 \catcode35=6 % #
6 \catcode39=12 % '
7 \catcode44=12 % ,
8 \catcode45=12 % -
9 \catcode46=12 % .
10 \catcode58=12 % :
11 \catcode64=11 % @
12 \catcode123=1 % {
13 \catcode125=2 % }
14 \expandafter\let\expandafter\x\csname ver@ifvtex.sty\endcsname
15 \ifx\x\relax % plain-TeX, first loading
16 \else
17 \def\empty{}%
18 \ifx\x\empty % LaTeX, first loading,
19 % variable is initialized, but \ProvidesPackage not yet seen
20 \else
21 \expandafter\ifx\csname PackageInfo\endcsname\relax
22 \def\x#1#2{%
23 \immediate\write-1{Package #1 Info: #2.}%
24 }%
25 \else
26 \def\x#1#2{\PackageInfo{#1}{#2, stopped}}%
```

```

27     \fi
28     \x{ifvtex}{The package is already loaded}%
29     \aftergroup\endinput
30     \fi
31     \fi
32 \endgroup%

```

Package identification:

```

33 \begingroup\catcode61\catcode48\catcode32=10\relax%
34 \catcode13=5 % ^~M
35 \endlinechar=13 %
36 \catcode35=6 % #
37 \catcode39=12 % '
38 \catcode40=12 % (
39 \catcode41=12 % )
40 \catcode44=12 % ,
41 \catcode45=12 % -
42 \catcode46=12 % .
43 \catcode47=12 % /
44 \catcode58=12 % :
45 \catcode64=11 % @
46 \catcode91=12 % [
47 \catcode93=12 % ]
48 \catcode123=1 % {
49 \catcode125=2 % }
50 \expandafter\ifx\csname ProvidesPackage\endcsname\relax
51   \def\x#1#2#3[#4]{\endgroup
52     \immediate\write-1{Package: #3 #4}%
53     \xdef#1{#4}%
54   }%
55 \else
56   \def\x#1#2[#3]{\endgroup
57     #2[#{#3}]%
58     \ifx#1@\undefined
59       \xdef#1{#3}%
60     \fi
61     \ifx#1\relax
62       \xdef#1{#3}%
63     \fi
64   }%
65 \fi
66 \expandafter\x\csname ver@ifvtex.sty\endcsname
67 \ProvidesPackage{ifvtex}%
68 [2010/03/01 v1.5 Switches for detecting VTeX and its modes (HD)]%

```

2.2 Catcodes

```

69 \begingroup\catcode61\catcode48\catcode32=10\relax%
70 \catcode13=5 % ^~M
71 \endlinechar=13 %
72 \catcode123=1 % {
73 \catcode125=2 % }
74 \catcode64=11 % @
75 \def\x{\endgroup
76   \expandafter\edef\csname ifvtex@AtEnd\endcsname{%
77     \endlinechar=\the\endlinechar\relax
78     \catcode13=\the\catcode13\relax
79     \catcode32=\the\catcode32\relax
80     \catcode35=\the\catcode35\relax
81     \catcode61=\the\catcode61\relax
82     \catcode64=\the\catcode64\relax
83     \catcode123=\the\catcode123\relax
84     \catcode125=\the\catcode125\relax
85   }%

```

```

86 }%
87 \x\catcode61\catcode48\catcode32=10\relax%
88 \catcode13=5 % ^^M
89 \endlinechar=13 %
90 \catcode35=6 % #
91 \catcode64=11 % @
92 \catcode123=1 % {
93 \catcode125=2 % }
94 \def\TMP@EnsureCode#1#2{%
95   \edef\ifvtex@AtEnd{%
96     \ifvtex@AtEnd
97     \catcode#1=\the\catcode#1\relax
98   }%
99   \catcode#1=#2\relax
100 }
101 \TMP@EnsureCode{10}{12}% ^^J
102 \TMP@EnsureCode{39}{12}% '
103 \TMP@EnsureCode{44}{12}% ,
104 \TMP@EnsureCode{45}{12}% -
105 \TMP@EnsureCode{46}{12}% .
106 \TMP@EnsureCode{47}{12}% /
107 \TMP@EnsureCode{58}{12}% :
108 \TMP@EnsureCode{60}{12}% <
109 \TMP@EnsureCode{62}{12}% >
110 \TMP@EnsureCode{94}{7}% ^
111 \TMP@EnsureCode{96}{12}% `
112 \edef\ifvtex@AtEnd{\ifvtex@AtEnd\noexpand\endinput}

```

2.3 Check for previously defined \ifvtex

```

113 \begingroup
114   \expandafter\ifx\csname ifvtex\endcsname\relax
115   \else
116     \edef\i/{\expandafter\string\csname ifvtex\endcsname}%
117     \expandafter\ifx\csname PackageError\endcsname\relax
118       \def\x#1#2{%
119         \edef\z{#2}%
120         \expandafter\errhelp\expandafter{\z}%
121         \errmessage{Package ifvtex Error: #1}%
122       }%
123       \def\y{^^J}%
124       \newlinechar=10 %
125     \else
126       \def\x#1#2{%
127         \PackageError{ifvtex}{#1}{#2}%
128       }%
129       \def\y{\MessageBreak}%
130     \fi
131     \x{Name clash, \i/ is already defined}{%
132       Incompatible versions of \i/ can cause problems,\y
133       therefore package loading is aborted.%
134     }%
135   \endgroup
136   \expandafter\ifvtex@AtEnd
137 \fi%
138 \endgroup

```

2.4 Provide \newif

```

139 \begingroup\expandafter\expandafter\expandafter\endgroup
140 \expandafter\ifx\csname newif\endcsname\relax

\ifvtex@newif

141 \def\ifvtex@newif#1{%

```

```

142 \begingroup
143 \escapechar=-1 %
144 \expandafter\endgroup
145 \expandafter\ifvtex@@newif\string#1\@nil
146 }%

```

`\ifvtex@@newif`

```

147 \def\ifvtex@@newif#1#2#3\@nil{%
148 \expandafter\edef\csname#3true\endcsname{%
149 \let
150 \expandafter\noexpand\csname if#3\endcsname
151 \expandafter\noexpand\csname iftrue\endcsname
152 }%
153 \expandafter\edef\csname#3false\endcsname{%
154 \let
155 \expandafter\noexpand\csname if#3\endcsname
156 \expandafter\noexpand\csname iffalse\endcsname
157 }%
158 \csname#3false\endcsname
159 }%

```

```
160 \else
```

`\ifvtex@newif`

```

161 \expandafter\let\expandafter\ifvtex@newif\csname newif\endcsname
162 \fi

```

2.5 `\ifvtex`

`\ifvtex` Create and set the switch. `\newif` initializes the switch with `\iffalse`.

```

163 \ifvtex@newif\ifvtex
164 \begingroup\expandafter\expandafter\expandafter\endgroup
165 \expandafter\ifx\csname VTeXversion\endcsname\relax
166 \else
167 \begingroup\expandafter\expandafter\expandafter\endgroup
168 \expandafter\ifx\csname OpMode\endcsname\relax
169 \else
170 \vtextrtrue
171 \fi
172 \fi

```

2.6 Mode and GeX switches

```

173 \ifvtex@newif\ifvtexdvi
174 \ifvtex@newif\ifvtexpdf
175 \ifvtex@newif\ifvtexps
176 \ifvtex@newif\ifvtexhtml
177 \ifvtex@newif\ifvtexgex
178 \ifvtex
179 \ifcase\OpMode\relax
180 \vtexdvitrue
181 \or % 1
182 \vtexpdftrue
183 \or % 2
184 \vtexpstrue
185 \or % 3
186 \vtexpstrue
187 \or\or\or\or\or\or % 10
188 \vtexhtmltrue
189 \fi
190 \begingroup\expandafter\expandafter\expandafter\endgroup

```

```

191 \expandafter\ifx\csname gexmode\endcsname\relax
192 \else
193   \ifnum\gexmode>0 %
194     \vtxgextrue
195     \fi
196 \fi
197 \fi

```

2.7 Protocol entry

Log comment:

```

198 \begingroup
199 \expandafter\ifx\csname PackageInfo\endcsname\relax
200   \def\x#1#2{%
201     \immediate\write-1{Package #1 Info: #2.}%
202   }%
203 \else
204   \let\x\PackageInfo
205   \expandafter\let\csname on@line\endcsname\empty
206 \fi
207 \x{ifvtex}{%
208   VTeX %
209   \ifvtex
210     in \ifvtexdvi DVI\fi
211     \ifvtexpdf PDF\fi
212     \ifvtexps PS\fi
213     \ifvtexhtml HTML\fi
214     \space mode %
215     with\ifvtexgex\else out\fi\space GeX %
216   \else
217     not %
218   \fi
219   detected%
220 }%
221 \endgroup
222 \ifvtex@AtEnd%
223 </package>

```

3 Test

3.1 Catcode checks for loading

```

224 (*test1)
225 \catcode'\{=1 %
226 \catcode'\}=2 %
227 \catcode'\#=6 %
228 \catcode'\@=11 %
229 \expandafter\ifx\csname count@\endcsname\relax
230   \countdef\count@=255 %
231 \fi
232 \expandafter\ifx\csname @gobble\endcsname\relax
233   \long\def@gobble#1{%
234 \fi
235 \expandafter\ifx\csname @firstofone\endcsname\relax
236   \long\def@firstofone#1{#1}%
237 \fi
238 \expandafter\ifx\csname loop\endcsname\relax
239   \expandafter@firstofone
240 \else
241   \expandafter@gobble
242 \fi

```

```

243 {%
244 \def\loop#1\repeat{%
245 \def\body{#1}%
246 \iterate
247 }%
248 \def\iterate{%
249 \body
250 \let\next\iterate
251 \else
252 \let\next\relax
253 \fi
254 \next
255 }%
256 \let\repeat=\fi
257 }%
258 \def\RestoreCatcodes{}
259 \count@=0 %
260 \loop
261 \edef\RestoreCatcodes{%
262 \RestoreCatcodes
263 \catcode\the\count@=\the\catcode\count@\relax
264 }%
265 \ifnum\count@<255 %
266 \advance\count@ 1 %
267 \repeat
268
269 \def\RangeCatcodeInvalid#1#2{%
270 \count@=#1\relax
271 \loop
272 \catcode\count@=15 %
273 \ifnum\count@<#2\relax
274 \advance\count@ 1 %
275 \repeat
276 }
277 \def\RangeCatcodeCheck#1#2#3{%
278 \count@=#1\relax
279 \loop
280 \ifnum#3=\catcode\count@
281 \else
282 \errmessage{%
283 Character \the\count@\space
284 with wrong catcode \the\catcode\count@\space
285 instead of \number#3%
286 }%
287 \fi
288 \ifnum\count@<#2\relax
289 \advance\count@ 1 %
290 \repeat
291 }
292 \def\space{ }
293 \expandafter\ifx\csname LoadCommand\endcsname\relax
294 \def\LoadCommand{\input ifvtex.sty\relax}%
295 \fi
296 \def\Test{%
297 \RangeCatcodeInvalid{0}{47}%
298 \RangeCatcodeInvalid{58}{64}%
299 \RangeCatcodeInvalid{91}{96}%
300 \RangeCatcodeInvalid{123}{255}%
301 \catcode'\@=12 %
302 \catcode'\=0 %
303 \catcode'\%=14 %
304 \LoadCommand

```

```

305 \RangeCatcodeCheck{0}{36}{15}%
306 \RangeCatcodeCheck{37}{37}{14}%
307 \RangeCatcodeCheck{38}{47}{15}%
308 \RangeCatcodeCheck{48}{57}{12}%
309 \RangeCatcodeCheck{58}{63}{15}%
310 \RangeCatcodeCheck{64}{64}{12}%
311 \RangeCatcodeCheck{65}{90}{11}%
312 \RangeCatcodeCheck{91}{91}{15}%
313 \RangeCatcodeCheck{92}{92}{0}%
314 \RangeCatcodeCheck{93}{96}{15}%
315 \RangeCatcodeCheck{97}{122}{11}%
316 \RangeCatcodeCheck{123}{255}{15}%
317 \RestoreCatcodes
318 }
319 \Test
320 \csname @@end\endcsname
321 \end
322 </test1>

```

4 Installation

4.1 Download

Package. This package is available on CTAN¹:

[CTAN:macros/latex/contrib/oberdiek/ifvtex.dtx](#) The source file.

[CTAN:macros/latex/contrib/oberdiek/ifvtex.pdf](#) Documentation.

Bundle. All the packages of the bundle ‘oberdiek’ are also available in a TDS compliant ZIP archive. There the packages are already unpacked and the documentation files are generated. The files and directories obey the TDS standard.

[CTAN:install/macros/latex/contrib/oberdiek.tds.zip](#)

TDS refers to the standard “A Directory Structure for \TeX Files” ([CTAN:tds/tds.pdf](#)). Directories with `texmf` in their name are usually organized this way.

4.2 Bundle installation

Unpacking. Unpack the `oberdiek.tds.zip` in the TDS tree (also known as `texmf` tree) of your choice. Example (linux):

```
unzip oberdiek.tds.zip -d ~/texmf
```

Script installation. Check the directory `TDS:scripts/oberdiek/` for scripts that need further installation steps. Package `attachfile2` comes with the Perl script `pdfatfi.pl` that should be installed in such a way that it can be called as `pdfatfi`. Example (linux):

```
chmod +x scripts/oberdiek/pdfatfi.pl
cp scripts/oberdiek/pdfatfi.pl /usr/local/bin/
```

4.3 Package installation

Unpacking. The `.dtx` file is a self-extracting docstrip archive. The files are extracted by running the `.dtx` through plain \TeX :

```
tex ifvtex.dtx
```

¹<http://ftp.ctan.org/tex-archive/>

TDS. Now the different files must be moved into the different directories in your installation TDS tree (also known as `texmf` tree):

```
ifvtex.sty          → tex/generic/oberdiek/ifvtex.sty
ifvtex.pdf          → doc/latex/oberdiek/ifvtex.pdf
test/ifvtex-test1.tex → doc/latex/oberdiek/test/ifvtex-test1.tex
ifvtex.dtx          → source/latex/oberdiek/ifvtex.dtx
```

If you have a `docstrip.cfg` that configures and enables `docstrip`'s TDS installing feature, then some files can already be in the right place, see the documentation of `docstrip`.

4.4 Refresh file name databases

If your \TeX distribution (`te \TeX` , `mik \TeX` , ...) relies on file name databases, you must refresh these. For example, `te \TeX` users run `texhash` or `mktextlsr`.

4.5 Some details for the interested

Attached source. The PDF documentation on CTAN also includes the `.dtx` source file. It can be extracted by AcrobatReader 6 or higher. Another option is `pdftk`, e.g. unpack the file into the current directory:

```
pdftk ifvtex.pdf unpack_files output .
```

Unpacking with \LaTeX . The `.dtx` chooses its action depending on the format:

plain \TeX : Run `docstrip` and extract the files.

\LaTeX : Generate the documentation.

If you insist on using \LaTeX for `docstrip` (really, `docstrip` does not need \LaTeX), then inform the autodetect routine about your intention:

```
latex \let\install=y\input{ifvtex.dtx}
```

Do not forget to quote the argument according to the demands of your shell.

Generating the documentation. You can use both the `.dtx` or the `.drv` to generate the documentation. The process can be configured by the configuration file `ltxdoc.cfg`. For instance, put this line into this file, if you want to have A4 as paper format:

```
\PassOptionsToClass{a4paper}{article}
```

An example follows how to generate the documentation with `pdf \LaTeX` :

```
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
makeindex -s gind.ist ifvtex.idx
pdflatex ifvtex.dtx
```

5 History

[2001/09/26 v1.0]

- First public version.

[2006/02/20 v1.1]

- DTX framework.
- Undefined tests changed.

[2007/01/10 v1.2]

- Fix of the `\ProvidesPackage` description.

[2007/09/09 v1.3]

- Catcode section added.

[2008/11/04 v1.4]

- Bug fix: Misspelled `\OpMode` (found by Hideo Umeki).

[2010/03/01 v1.5]

- Compatibility with `iniTEX`.

6 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; plain numbers refer to the code lines where the entry is used.

Symbols	
<code>\#</code>	227
<code>\%</code>	303
<code>\@</code>	228, 301
<code>\@firstofone</code>	236, 239
<code>\@gobble</code>	233, 241
<code>\@nil</code>	145, 147
<code>\@undefined</code>	58
<code>\@</code>	302
<code>\{</code>	225
<code>\}</code>	226
<code>\end</code>	321
<code>\endcsname</code>	14, 21, 50, 66, 76, 114, 116, 117, 140, 148, 150, 151, 153, 155, 156, 158, 161, 165, 168, 191, 199, 205, 229, 232, 235, 238, 293, 320
<code>\endinput</code>	29, 112
<code>\endlinechar</code>	4, 35, 71, 77, 89
<code>\errhelp</code>	120
<code>\errmessage</code>	121, 282
<code>\escapechar</code>	143
A	
<code>\advance</code>	266, 274, 289
<code>\aftergroup</code>	29
B	
<code>\body</code>	245, 249
C	
<code>\catcode</code>	2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 33, 34, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 69, 70, 72, 73, 74, 78, 79, 80, 81, 82, 83, 84, 87, 88, 90, 91, 92, 93, 97, 99, 225, 226, 227, 228, 263, 272, 280, 284, 301, 302, 303
<code>\count@</code>	230, 259, 263, 265, 266, 270, 272, 273, 274, 278, 280, 283, 284, 288, 289
<code>\countdef</code>	230
<code>\csname</code>	14, 21, 50, 66, 76, 114, 116, 117, 140, 148, 150, 151, 153, 155, 156, 158, 161, 165, 168, 191, 199, 205, 229, 232, 235, 238, 293, 320
E	
<code>\empty</code>	17, 18, 205
G	
<code>\gexmode</code>	193
I	
<code>\i</code>	116, 131, 132
<code>\ifcase</code>	179
<code>\ifnum</code>	193, 265, 273, 280, 288
<code>\ifvtex</code>	2, <u>163</u> , 178, 209
<code>\ifvtex@newif</code>	145, <u>147</u>
<code>\ifvtex@AtEnd</code> ...	95, 96, 112, 136, 222
<code>\ifvtex@newif</code>	<u>141</u> , <u>161</u> , 163, 173, 174, 175, 176, 177
<code>\ifvtexdvi</code>	2, 173, 210
<code>\ifvtexgex</code>	2, 177, 215
<code>\ifvtexhtml</code>	2, 176, 213
<code>\ifvtexpdf</code>	2, 174, 211
<code>\ifvtexps</code>	2, 175, 212
<code>\ifx</code>	15, 18, 21, 50, 58, 61, 114, 117, 140, 165, 168, 191, 199, 229, 232, 235, 238, 293
<code>\immediate</code>	23, 52, 201
<code>\input</code>	294
<code>\iterate</code>	246, 248, 250
L	
<code>\LoadCommand</code>	294, 304
<code>\loop</code>	244, 260, 271, 279

M		T	
<code>\MessageBreak</code>	129	<code>\Test</code>	296, 319
N		<code>\the</code>	77, 78, 79, 80, 81, 82, 83, 84, 97, 263, 283, 284
<code>\newlinechar</code>	124	<code>\TMP@EnsureCode</code>	94, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111
<code>\next</code>	250, 252, 254		
<code>\number</code>	285	V	
O		<code>\vtexdvitrue</code>	180
<code>\OpMode</code>	179	<code>\vtexgextrue</code>	194
P		<code>\vtexhtmltrue</code>	188
<code>\PackageError</code>	127	<code>\vtexpdftrue</code>	182
<code>\PackageInfo</code>	26, 204	<code>\vtexpstrue</code>	184, 186
<code>\ProvidesPackage</code>	19, 67	<code>\vtexttrue</code>	170
R		W	
<code>\RangeCatcodeCheck</code>	277, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316	<code>\write</code>	23, 52, 201
<code>\RangeCatcodeInvalid</code>	269, 297, 298, 299, 300	X	
<code>\repeat</code>	244, 256, 267, 275, 290	<code>\x</code> ..	14, 15, 18, 22, 26, 28, 51, 56, 66, 75, 87, 118, 126, 131, 200, 204, 207
<code>\RestoreCatcodes</code> ..	258, 261, 262, 317	Y	
S		<code>\y</code>	123, 129, 132
<code>\space</code>	214, 215, 283, 284, 292	Z	
		<code>\z</code>	119, 120