powerdot example 2

Hendri Adriaens Christopher Ellison

December 3, 2010

Slide 1

This section has a slide

This is a bigger example

Slide 1

This section has a slide

- This is a bigger example
- demonstrating more of the possibilities of powerdot.

This section has a slide

Slide 2

Slide 3

This section has a slide

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

Slide 1

This section has a slide

Slide 2

Slide 3

Here is the binomium formula.

$$(a+b)^n = \sum_{k=0}^n \binom{n}{k} a^{n-k} b^k \tag{1}$$

We will prove formula (1) on the blackboard. Click the title of this slide to switch to the black slide.

Slide 1

This section has a slide

Slide 2

- This happens...
- when you change...
- the type of itemize.

Slide 1

This section has a slide

Slide 2

- This happens...
- when you change...
- the type of itemize.

Slide 1

This section has a slide

Slide 2

- This happens...
- when you change...
- the type of itemize.

A hidden wide section

Slide 1

This section has a slide

A hidden wide section

Slide 4

Slide 5

■ We only treat this material...

Slide 1

This section has a slide

A hidden wide section

Slide 4

- We only treat this material...
 - ▲ if we have some time left.

Slide 1

This section has a slide

A hidden wide section

Slide 4

- We only treat this material...
 - ▲ if we have some time left.
 - ▲ But don't hesitate...

Slide 1

This section has a slide

A hidden wide section

Slide 4

- We only treat this material...
 - <u>A</u> if we have some time left.
 - ▲ But don't hesitate...
- to read it yourself.

This wide slide can contain more material as it is wider and does not have a table of contents.